



# MSDS

Report No.: HPT220052614ME ReportDateMay30,2022 Page: 1

of 7

## Material Safety Data Sheet (MSDS)

**Samples Name:** EYELASH REMOVER 5,15G LuxuryLashes

**Sample specifications:** /

**Client Name:** Guangzhou Asia Pacific Biotechnology Co., Ltd.

**Address:** ShopA071, 1st Floor, Yifa Commercial Wholesale Plaza, Baiyun District, Guangzhou, No. 118-122, 124-164,  
166-182,AirportRoad, Baiyun District, Guangzhou

**Post Code:** /

APPROVED BY:

Technology Manager



This Test report shall be invalid if it is not stamped with the special seal for report. Report alteration, self-addition and deletion are invalid. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Shenzhen Huipu Testing Technology  
Co., Ltd.

Add: Unit 2, Building B3, Sunshine Garden, Guanghua Community, Jihua Street, Longgang District,  
Shenzhen, Guangdong, China

Tel: 86-0755-2309 2593

86-13117584928

Email: huiputest@163.com

## Section 1 - Chemical Product and Company Identification

**Product Name:** EYELASH REMOVER 5,15G Luxury Lashes

**Manufacture:** Guangzhou Asia Pacific Biotechnology Co., Ltd.

**Address:** Shop A071, 1st Floor, Yifa Commercial Wholesale Plaza, Baiyun District, Guangzhou, No. 118-122, 124-164, 166-182, Airport Road, Baiyun District, Guangzhou

**Contact Person:** Mr. Liu

**Tel:** 18598141999

## Section 2 - Hazards Identification

**Fatality grade:** Eye irritation, Category 2

**GHS label elements, including precautionary statements**



**Pictogram(s):**

**Signal word:** Warning

**Hazard statement(s)**

H315 Causes skin irritation

H319 Causes serious eye irritation

**Precautionary statement(s)**

**Prevention**

P264 Wash ... thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

**Response**

P302+P352 IF ON SKIN: Wash with plenty of water/...

P321 Specific treatment (see ... on this label).

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention

**Safe Storage**

Store P402+P404 in a dry place. Store in an airtight container.

**Abandoned storage**

P501 Dispose of contents/container.....

**Invasion route:** Ingestion, percutaneous absorption, eye contact.

This Test report shall be invalid if it is not stamped with the special seal for report. Report alteration, self-addition and deletion are invalid. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

**Health hazards:** Harmful to health by inhalation, ingestion or absorption through skin, and may irritate eyes and skin.

**Environment hazards:** This substance may be harmful to the environment. Special attention should be paid to water bodies.

**Burn & burst danger:** In case of high heat, open flames or contact with oxidants, there is a danger of burning.

### Section 3 –Composition/Information on Ingredient

Pure

Admixture

Composition:

Chemical Name	Composition (in% by weight)	CAS No.	EC No.
Propylene carbonate	38	108-32-7	203-572-1
1,3-Dihydroxyacetone	30	96-26-4	202-494-5
Glycerol	10	56-81-5	200-289-5
Ethyl acetate:	10	141-78-6	205-500-4
L-Phenylalanine	5	63-91-2	200-568-1
Diffusing agent (MF)	2	9084-06-4	618-665-6
Montmorillonite	5	1318-93-0	215-288-5

### Section 4 - First Aid Measures

**Skin touch:** Remove contaminated clothing and rinse skin thoroughly with soap and water. If you feel unwell, seek medical advice immediately.

**Eyes touch:** Immediately file eyelid, flush with plenty of water for at least 10 minutes of flow. If there is pain, treatment.

**Inhalation:** Remove from exposure and move to fresh air immediately. Keep the respiratory tract smooth. Use oxygen if available. Get medical aid.

**Ingestion:** Drink enough warm water, do not induce vomiting, Get medical aid.

### Section 5 - Fire Fighting Measures Danger

**Dangerous characteristic:** In case of high heat, open flames or contact with oxidants, there is a danger of burning.

**Hazardous combustion products:** Carbon monoxide, carbon dioxide.

**Fire-Fighting method & media:** Firefighters must wear filter-type gas masks (full-face masks) or isolated respirators,

This Test report shall be invalid if it is not stamped with the special seal for report. Report alteration, self-addition and deletion are invalid. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



wear full-body fire protection suits, and extinguish fires against the wind. Move the container from the fire to an open area as much as possible. Spray water to keep the container cool until the fire is over.

**Fire extinguishing agent:** Solvent-resistant foam, dry powder, carbon dioxide, sand.

## Section 6 –Accidental Release Measures

**Emergency treatment:** Evacuate personnel from the contaminated area to the safe area, and quarantine, strictly restrict access. It is suggested that the staff wear dust respirator and dress in work clothes. Stop leaks while ensuring safety. Rinse with plenty of water, and put the diluted lotion into the waste water system. It can also be incinerated on the spot while ensuring safety.

**Small amount of spillage:** Absorb with sand or other non combustible material or adsorption. You can also flush with plenty of water, wash water diluted into the wastewater system.

**Massive spillage:** Use the embankment for shelter, then collect, transfer, recycle or dispose of it after harmless treatment.

## Section 7 - Handling and Storage

**Handling:** Closed operation, local exhaust, and provide appropriate exhaust equipment in places where dust is generated. Operators must undergo special training, strictly abide by the operating regulations, It is recommended that the operator wear a mask, wear work clothes, and wear gloves. and smoking is strictly prohibited in the workplace, Avoid generating dust. Keep away from fire and heat source, equip with fire fighting equipment and leakage emergency treatment equipment of corresponding variety and quantity.

Empty containers may be harmful residues.

**Storage:** Stored in a cool, dry, closed container. Keep away from fire and heat sources. It should be stored separately from oxidants. When handling, load and unload with care to prevent damage to packaging and containers.

The storage area should be equipped with leakage emergency treatment equipment and suitable storage materials.

## Section 8 - Exposure Controls, Personal Protection

**Maximum admissible concentration:** No data

**Monitoring Method:** None.

**Engineering Control:** Closed operation, enhance ventilation. Safety showers and eye wash facilities are provided.

**Respiratory Protection:** Wear mask,, high concentration contact can be worn filter gas mask (half mask).

**Eyes Protection:** Wear chemical safety glasses.

**Body Protection:** Wear work clothes.

This Test report shall be invalid if it is not stamped with the special seal for report. Report alteration, self-addition and deletion are invalid. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



**Hands Protection:** Wear latex gloves.

**Other Protections:** Smoking, eating and drinking are prohibited at the worksite. Maintain good hygiene.

## Section 9 - Physical and Chemical Properties

**Appearance:** Paste

**Color:** Green

**Odor:** Slight odor

**Relative density (water=1):** No data.

**Relative vapor density (air=1):** No data.

**Boiling Point:** No data.

**Melting Point:** No data.

**Flashpoint:** No data.

**Vapour pressure:** No data.

**Viscosity:** No data.

**PH Value:** No data.

**Permission of solvent inhalation:** No data.

**Solubility:** Soluble in water, miscible in acetone, ether, benzene, chloroform, ethyl acetate.

**Saturated vapor pressure (kPa):** No data.

**Ignition temperature (°C):** No data.

## Section 10 - Stability and Reactivity

**Stability:** Stable under normal temperature and pressure.

**Distribution of Ban:** Strong oxidizer, strong acid.

**Conditions to Avoid:** Source of fire, heat.

**Hazardous Polymerization:** No data

**Hazardous Decomposition Products:** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11 - Toxicological Information

**Acute Toxicity:** No data.

**Sub-acute and Chronic Toxicity:** No data.

**Irritation:** No data. **Sensitization:**

No data. **Mutagenicity:** No data.

This Test report shall be invalid if it is not stamped with the special seal for report. Report alteration, self-addition and deletion are invalid. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



# MSDS

Report No.: HPT220052614ME

ReportDate May30,2022

Page: 6 of 7

**Carcinogenicity:** No data.

**Others:**None.

## Section 12 - Ecological Information

**Eco-toxicity:** No data.

**Biodegradable:** No applicable.

**Non-biodegradable:** No applicable.

**Bioconcentration or biological accumulation:** No applicable.

**Other harmful effects:** No known significant effects or critical hazards.

## Section 13 - Disposal Considerations

**Waste disposal method:** No unified national regulations on the remnants of the disposal of chemicals, chemical residues in general do special waste. Refer to the national and local relevant regulations should be prior to disposal. Suggest that contact the local qualified waste disposal companies, processing according to their opinions. **Attention abandoned:** Do not dump products into city sewers, floors, or natural water sources.

## Section 14 - Transport Information

**Number of dangerous goods:** Not applicable.

**UN Number:** No data.

**Packaging Mark:** None.

**Packaging Method:** No data.

**Transport Attentions:** Examine whether the package of the containers are integrate and tighten closed before transport. No divulgence, no collapse, no precipitation or no damage during the course of transportation. Don't put the goods together with oxidizer, acid and so on. The transport vehicle and ship must be cleaned and sterilized otherwise it is not allowed to assemble articles. During transport, the vehicle should prevent exposure, rain and high temperature. For stopovers, the vehicle should be away from fire and heat sources. Don't use device and tools which can easily produce spark for loading. When transported by sea, the assemble place should keep away from bedroom and kitchen, and isolated from the engine room, power and fire source. Under the condition of Road Transportation, the driver should drive in accordance with regulated route, don't stop over in the residential area and congested area. No slipping up in rail road. According to the IMDG Code (inc Amdt 34-08) 2008 Edition, The sample is not regulated for transport of dangerous goods.

This Test report shall be invalid if it is not stamped with the special seal for report. Report alteration, self-addition and deletion are invalid. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Shenzhen Huipu Testing Technology Co., Ltd.

Add: Unit 2, Building B3, Sunshine Garden, Guanghua Community, Jihua Street, Longgang District, Shenzhen, Guangdong, China  
Tel: 86-0755-2309 2593 86-13117584928 Email: huiputest@163.com



# MSDS

Report No.: HPT220052614ME

ReportDate May30,2022

Page: 7 of 7

## Section 15 - RegulatoryInformation

**RegulatoryInformation:**ISO11014-2009 Safety data sheet for chemical products - Content and order of sections.Regulation (EC) No.1272/2008 Classification, Labeling and Packaging of Substances and Mixtures. The International Maritime Dangerous Goods (IMDG) Code. The International Air transport Association (IATA) Dangerous Goods Regulations.

## Section 16 - Additional Information

The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

\*\*\*\*\*End of MSDS\*\*\*\*\*

This Test report shall be invalid if it is not stamped with the special seal for report. Report alteration, self-addition and deletion are invalid. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Shenzhen Huipu Testing Technology  
Co., Ltd.

Add: Unit 2, Building B3, Sunshine Garden, Guanghua Community, Jihua Street, Longgang District,  
Shenzhen, Guangdong, China  
Tel: 86-0755-2309 2593 86-13117584928 Email: huiputest@163.com